## Contents

Volume 105 1989

Zackson, S. L. and Steinberg, M. S. Axolotl pronephric duct cell migration is sensitive to phosphatidylinositol-specific phospholipase C	1	Paldi, A., Nagy, A., Markkula, M., Barna, I. and Dezso, L. Postnatal development of parthenogenetic —fertilized mouse aggregation chimeras	115
Wetts, R. and Fraser, S. E. Slow mixing of cells during <i>Xenopus</i> embryogenesis contributes to the consistency of the blastomere fate map	9	Primmett, D. R. N., Norris, W. E., Carlson, G. J., Keynes, R. J. and Stern, C. D. Periodic segmental anomalies induced by heat shock in the chick embryo are associated with the	113
Schoenwolf, G. C. and Sheard, P. Shaping and bending of the avian neural plate as	15	cell cycle	119
analysed with a fluorescent-histochemical marker  Gurdon, J. B.	17	Wilkinson, D. G., Bhatt, S. and McMahon, A. P. Expression pattern of the FGF-related proto-oncogene <i>int-2</i> suggests multiple roles in fetal	
The localization of an inductive response	27	development	131
Ghysen, A. and O'Kane, C. Neural enhancer-like elements as specific cell markers in <i>Drosophila</i>	35	Kaufman, M. H., Lee, K. K. H. and Speirs, S. Influence of diandric and digynic triploid genotypes on early mouse embryogenesis	137
Mitani, S. and Okamoto, H. Embryonic development of <i>Xenopus</i> studied in a cell culture system with tissue-specific monoclonal antibodies	53	Slack, J. M. W. and Isaacs, H. V. Presence of basic fibroblast growth factor in the early <i>Xenopus</i> embryo	147
Dent, J. A., Polson, A. G. and Klymkowsky, M. W. A whole-mount immunocytochemical analysis of		Wilson, P. A., Oster, G. and Keller, R. Cell rearrangement and segmentation in <i>Xenopus</i> : direct observation of cultured explants	155
the expression of the intermediate filament protein vimentin in <i>Xenopus</i>	61	Mahaffey, J. W., Diederich, R. J. and Kaufman, T. C.	
Jeffery, W. R. Requirement of cell division for muscle actin		Novel patterns of homeotic protein accumulation in the head of the <i>Drosophila</i> embryo	167
expression in the primary muscle cell lineage of ascidian embryos	75	Niswander, L., Yee, D., Rinchik, E. M., Russell, L. B. and Magnuson, T. The albino-deletion complex in the mouse defines	
Fitch, J. M., Mentzer, A., Mayne, R. and Linsenmayer, T. F. Independent deposition of collagen types II and		genes necessary for development of embryonic and extraembryonic ectoderm	175
IX at epithelial–mesenchymal interfaces	85	ESSAY IN DEVELOPMENT Mattaj, I. W. and Hamm, J.	
Page, M. Changing patterns of cytokeratins and vimentin in the early chick embryo	97	Regulated splicing in early development and stage-specific U snRNPs	183
Fukumoto, H., Matsui, Y. and Obinata, M. Mechanism of erythropoietin action on the erythroid progenitor cells induced from murine	100	CONTRIBUTED PAPERS Iftode, F., Cohen, J., Ruiz, F., Rueda, A. T., Chen-Shan, L., Adoutte, A. and Beisson, J. Development of surface pattern during division in	
erythroleukemia cells (TSA8)	109	Paramecium. I. Mapping of duplication and	

## Contents

reorganization of cortical cytoskeletal structures in the wild type	191	Talevi, R. Polyspermic eggs in the anuran Discoglossus pictus	242
Davis, R. E. and King, M. L.		develop normally	343
The developmental expression of the heat-shock	213	Shi, DL., Darribère, T., Johnson, K. E. and Boucaut, JC.	
Barcellos-Hoff, M. H., Aggeler, J., Ram, T. G. and Bissell, M. J. Functional differentiation and alveolar morphogenesis of primary mammary cultures on		Initiation of mesodermal cell migration and spreading relative to gastrulation in the urodele amphibian <i>Pleurodeles waltl</i>	351
	223	Röber, RA., Weber, K. and Osborn, M.	
Sardet, C., Speksnijder, J., Inoue, S. and Jaffe, L. Fertilization and ooplasmic movements in the ascidian egg	237	Differential timing of nuclear lamin A/C expression in the various organs of the mouse embryo and the young animal: a developmental study	365
		State	000
Smith-Thomas, L. C. and Fawcett, J. W. Expression of Schwann cell markers by mammalian neural crest cells <i>in vitro</i>	251	Bennett, D. C., Cooper, P. J., Dexter, T. J., Devlin, L. M., Heasman, J. and Nester, B. Cloned mouse melanocyte lines carrying the	
Hirai, Y., Nose, A., Kobayashi, S. and Takeichi, M.		germline mutations albino and brown: complementation in culture	379
Expression and role of E- and P-cadherin adhesion molecules in embryonic histogenesis.  I. Lung epithelial morphogenesis	263	Wolswijk, G. and Noble, M. Identification of an adult-specific glial progenitor	
Hirai, Y., Nose, A., Kobayashi, S.		cell	387
and Takeichi, M.  Expression and role of E- and P-cadherin adhesion molecules in embryonic histogenesis.  II. Skin morphogenesis	271	Van Lookeren Campagne, M. M., Aerts, R. J., Spek, W., Firtel, R. A. and Schaap, P. Cyclic-AMP-induced elevation of intracellular pH precedes, but does not mediate, the induction of	
Herrman, H., Fouquet, B. and Franke, W. W. Expression of intermediate filament proteins during development of <i>Xenopus laevis</i> . I. cDNA		prespore differentiation in Dictyostelium discoideum	401
clones encoding different forms of vimentin	279	Nisson, P. E., Dike, L. E. and Crain, W. R. Three Strongylocentrotus purpuratus actin genes	
Herrman, H., Fouquet, B. and Franke, W. W. Expression of intermediate filament proteins during development of <i>Xenopus laevis</i> .		show correct cell-specific expression in hybrid embryos of S. purpuratus and Lytechinus pictus	407
II. Identification and molecular characterization of desmin	299	Lambert, C. C. Ascidian eggs release glycosidase activity which	
Müller, W. A.		aids in the block against polyspermy	415
Diacylglycerol-induced multihead formation in <i>Hydra</i>	309	ESSAY IN DEVELOPMENT	
	507	Davidson, E. H.	
Tesařík, J. Involvement of oocyte-coded message in cell		Lineage-specific gene expression and the	
differentiation control of early human embryos	317	regulative capacities of the sea urchin embryo: a proposed mechanism	421
McNally, J. G. and Cox, E. C.		CONTRIBUTED PAPERS	
Spots and stripes: the patterning spectrum in the cellular slime mould <i>Polysphondylium pallidum</i>	323	Nelsen, E. M., Frankel, J. and Jenkins, L. M.	
	343	Non-genic inheritance of cellular handedness	447
Smith, H. Pattern regulation during the development of the		Nelsen, E. M. and Frankel, J.	
ventral abdomen in the flesh fly Sarcophaga		Maintenance and regulation of cellular	
agryostoma	335	handedness in Tetrahymena	457

Pardanaud, L., Yassine, F. and Dieterlen-Lievre, F.		Karr, T. L., Weir, M. P., Ali, Z. and Kornberg, T.	
Relationship between vasculogenesis, angiogenesis and haemopoiesis during avian		Patterns of engrailed protein in early Drosophila	605
ontogeny	473	Kaur, S., Key, B., Stock, J., McNeish, J. D., Akeson, R. and Potter, S. S.	
Sadaghiani, B. and Vielkind, J. R. Neural crest development in <i>Xiphophorus</i> fishes: scanning electron and light microscopic studies	487	Targeted ablation of $\alpha$ -crystallin-synthesizing cells	613
Letourneau, P. C. and Shattuck, T. A. Distribution and possible interactions of actin- associated proteins and cell adhesion molecules of nerve growth cones	505	Booker, R. B. and Truman, J. W. Octopod, a homeotic mutation of the moth Manduca sexta, influences the fate of identifiable pattern elements within the CNS	621
Kobatake, E. and Sugiyama, T. Genetic analysis of developmental mechanisms in hydra. XIX. Stimulation of regeneration by injury in the regeneration-deficient mutant strain, reg-16	521	Ng, SC., Perkins, L. A., Conboy, G., Perrimon, N. and Fishman, M. C. A <i>Drosophila</i> gene expressed in the embryonic CNS shares one conserved domain with the mammalian GAP-43	629
Pituello, F., Deruntz, P., Pradayrol, L. and Duprat, AM. Peptidergic properties expressed <i>in vitro</i> by embryonic neuroblasts after neural induction	529	Wedden, S. E., Pang, K. and Eichele, G. Expression pattern of homeobox-containing genes during chick embryogenesis	639
Norris, W. E., Stern, C. D. and Keynes, R. J. Molecular differences between the rostral and caudal halves of the sclerotome in the chick		Whyte, A. and Stewart, H. J.  Expression of the proto-oncogene fos (c-fos) by preimplantation blastocysts of the pig	651
embryo	541	RAPID PUBLICATION Browne, L. H., Sadeghi, H., Blumberg, D.,	
Cooke, J., Symes, K. and Smith, E. J. Potentiation by the lithium ion of morphogenetic responses to a <i>Xenopus</i> inducing factor	549	Williams, K. L. and Klein, C. Re-expression of 117 antigen, a cell surface glycoprotein of aggregating cells, during terminal differentiation of <i>Dictyostelium discoideum</i>	
Kwok, F. W. K. and Ng, S. F. 5-azacytidine affects the programming of expression of the somatic nucleus of <i>Paramecium</i>	559	prespore cells  ESSAY IN DEVELOPMENT Smith, J. C.	657
Wang, M. and Schaap, P. Ammonia depletion and DIF trigger stalk cell differentiation in intact <i>Dictyostelium discoideum</i>		Mesoderm induction and mesoderm-inducing factors in early amphibian development	665
slugs	569	CONTRIBUTED PAPERS Jaffredo, T., Vandenbunder, B. and Dieterlen-Lièvre, F.	
Nomura, S., Hogan, B. L. M., Wills, A. J., Heath, J. K. and Edwards, D. R. Developmental expression of tissue inhibitor of		In situ study of c-myc protein expression during avian development	679
metalloproteinase (TIMP) RNA	575	Peterson, C. A., Phillips, W. H. and Grainger, R. M.	
<b>Holder, N.</b> Organization of connective tissue patterns by dermal fibroblasts in the regenerating axolotl limb	585	Region-specific deposition of dermal proteins between dermis and epidermis during induction of chick feather and scale rudiments	697
Hart, I. K., Richardson, W. D., Heldin, CH., Westermark, B. and Raff, M. C. PDGF receptors on cells of the oligodendrocyte-		Kothary, R., Clapoff, S., Darling, S., Perry, M. D., Moran, L. A. and Rossant, J. Inducible expression of an hsp68-lacZ hybrid gene	
type-2 astrocyte (O-2A) cell lineage	595	in transgenic mice	707

## Contents

Whitington, P. M. The early development of motor axon pathways in the locust embryo: the establishment of the		Gregg, B. C., Rowe, A., Bricknell, P. M. and Wolpert, L. Ectodermal inhibition of cartilage differentiation	
segmental nerves in the thoracic ganglia	715	in micromass culture of chick limb bud mesenchyme in relation to gene expression and	
Gower, H. J., Moore, S. E., Dickson, G., Elsom, V. L., Nayak, R. and Walsh, F. S. Cloning and characterization of a myoblast cell surface antigen defined by 24.1D5 monoclonal antibody	723	Jamrich, M. and Sato, S. Differential gene expression in the anterior neural plate during gastrulation of <i>Xenopus laevis</i>	<ul><li>769</li><li>779</li></ul>
Beddington, R. S. P. and Robertson, E. J.  An assessment of the developmental potential of embryonic stem cells in the midgestation mouse		Wright, C. V. E., Schnegelsberg, P. and De Robertis, E. M. XIHbox 8: a novel <i>Xenopus</i> homeo protein restricted to a narrow band of endoderm	787
embryo  Tix, S., Minden, J. S. and Technau, G. M.  Pre-existing neuronal pathways in the developing optic lobes of <i>Drosophila</i>	<ul><li>733</li><li>739</li></ul>	RAPID PUBLICATIONS Goodman, S. L., Deutzmann, R. and Nurcombe, V. Locomotory competence and laminin-specific cell surface binding sites are lost during myoblast differentiation	795
Nagajski, D. J., Guthrie, S. C., Ford, C. C. and Warner, A. E.  The correlation between patterns of dye transfer through gap junctions and future developmental fate in <i>Xenopus</i> : the consequences of u.v.		Walsh, F. S., Parekh, R. B., Moore, S. E., Dickson, G., Barton, C. H., Gower, H. J., Dwek, R. A. and Rademacher, T. W. Tissue specific O-linked glycosylation of the neural cell adhesion molecule (N-CAM)	803
Kay, R. R. Evidence that elevated intracellular cyclic AMP	747	<b>Tabin, C. J.</b> Isolation of potential vertebrate limb-identity genes	813
triggers spore maturation in <i>Dictyostelium</i> Lawrence, P. A. and Johnston, P.	753	Sater, A. K. and Jacobson, A. G. The specification of heart mesoderm occurs during gastrulation in <i>Xenopus laevis</i>	821
Pattern formation in the <i>Drosophila</i> embryo: allocation of cells to parasegments by <i>even-skipped</i>		Index of Authors and Titles	831
and fushi tarazu	761	Subject Index	835

